


NOVA

A New Look, Rise with Nova



Nova 70 Series: The ideal combination of aesthetics, quality, comfort, and insulation.



NOVA 70

Technical Specifications

Profile Width: 70 mm

Number of Chambers: 6 Chambers

Number of Gaskets: 2 Gaskets

Gasket Material: TPE Gray / Black

Bead: Single Leg with PCE Gasket

Glass Thickness: Single Glass , 24/30/36/44 mm



STATIC POWER

Nova system is produced using special products with high strength. The system's profiles incorporate high static value sheets, and through detailed static calculations, we determine the most suitable profile and sheet made in areas with high wind loads. The insulation and safety of the Nova system is kept at the highest level with our accessory group and acoustic arm standards specially designed for the Nova system.

PRODUCT RANGE

Nova has a wide range of products from standard frame to frame with molding, from mullion to frame, from flat sash, drip and external opening window sash options to inward and outward door sash profiles and movable mullion profile.

APPLICATIONS

The Nova system allows you to create aesthetic and stylish designs with a wide range of color options. It offers alternative solutions with single glazing and 24, 30, 36 and 44 mm glazing thicknesses. The Nova system also includes a variety of additional product groups, such as 90 degree and angled corner connections, elevation, frame extensions, closing profiles, and moldings profiles.

Achieve superior insulation with Nova 70 Plus
the rising star of innovation.

NOVA 70
PLUS

Technical Specifications

Profile Width: 70 mm

Profile Thickness: 3 mm




Number of Chambers: 6 Chambers

Number of Gaskets: 3 Gaskets

Gasket Material: TPE Gray / Black

Bead: Single Leg with PCE Gasket

Glass Thickness: Single Glass , 24/30/36/44 mm



NOVA 70 PLUS

The Nova 70 Plus system is designed to provide superior insulation through its unique design and advanced features. With its three gasket structure and 3 mm profile thickness, it ensures high performance, maximum efficiency with its low U value, and exceptional insulation capacity. The Nova Plus system, with its triple glazing and three gaskets, delivers excellent insulation performance in door and window systems. It optimizes comfort and energy efficiency in all seasons.

PANOVA

WINDOW & DOOR SYSTEMS

Truffle
Oak




Hazelnut



White
Oak



Mink



Black




Burnt
Cedar




Golden
Oak



Antique
Oak



Ash
Black



Silver



Anthracite
Gray

Your Color
Your Window



Rely on it.

✉ info@panova.com.tr

☎ +90 (272) 221 18 87

📍 Organize San. Böl. 4.Cad. 3.Sok. No:6
Afyonkarahisar/Türkiye

🌐 www.panova.com.tr

📷 /panovawindows

